

ARIZONA DEPARTMENT OF TRANSPORTATION

ADVERTISEMENT FOR BIDS

BID OPENING: FRIDAY, MARCH 9, 2007, AT 11:00 A.M. (M.S.T.)

TRACS NO 099 NA 038 H637701C
PROJ NO S-099-A-501
TERMINI SITGREAVES NF– WINSLOW HIGHWAY (SR 99)
LOCATION JACKS CANYON BRIDGE # 1036 & CLEAR CREEK ARCH
 BRIDGE # 1038

ROUTE NO.	MILEPOST	DISTRICT	ITEM NO.
SR 99	38.19	HOLBROOK	19905

The amount programmed for this contract is \$1,820,000. The location and description of the proposed work and the representative items and approximate quantities are as follows:

The proposed bridge rehabilitation project is located in Navajo County on State Route 99 beginning at Milepost 38.19 approximately 3 miles east of the junction with SR 87 and south of Winslow. The work at Jacks Canyon Bridge consists of replacement of the existing two span steel girder superstructure deck by a single span steel girder superstructure deck, removal of existing piles in the stream, addition of an approach slab, bridge concrete barrier and retrofitting of existing abutments. The work at Clear Creek Arch Bridge consists of removal of the one-inch thick deck concrete surface by mechanical milling, replacement of the deck surface with two-inches of Microsilica Modified Concrete and upgradation of the existing bridge railing. In addition, the work includes widening of the approach road, replacement of guardrail, pavement markings and other related work.

REPRESENTATIVE ITEMS	UNIT	QUANTITY
Remove Bituminous Pavement (Milling) (2 1/2")	SQ.YD.	1,750
Roadway Excavation	CU.YD.	638
Asphaltic Concrete (Misc. Structural)	TON	406
Asphaltic Concrete Friction Course (Misc.)	TON	65
Sign Post (Perforated)	L.FT.	361
Sign Sheeting	SQ.FT.	117
Slip Base (New)	EACH	10
Foundation For Sign Post (Concrete)	EACH	24
Dual Component Pavement Marking	L.FT.	3,000
Temporary Traffic Signal (Portable)	L.SUM	1
Remove Bridge (Structural Steel)	L.SUM	1
Removal of Structural Concrete	CU.YD.	121
Structural Concrete (Class S)(F'c = 3000)	CU.YD	40
Structural Concrete (Class S)(F'c = 4500)	CU.YD	81
F-Shape Bridge Concrete Barrier and Transition (32")	L.FT.	241
Structural Steel	LB.	132,300

Reinforcing Steel (Epoxy Coated)	LB.	19,420
Groove Bridge Deck	SQ.YD	871
Misc. Work (Remove Concrete Deck Surface by Milling)	SQ.FT.	4,350
Misc. Work (Microsilica Modified Concrete)	CU.YD.	30
Seeding (Class II)	ACRE	1
Construct Guard Rail From Salvage	L.FT	400
Reconstruct Guard Rail Transition System, Thrie Beam	EACH	4
Construct Guard Rail Terminal From Salvage	EACH	4
Construction Surveying and Layout	L.SUM	1
Cut Groove Rumble Strip (Transverse)	L.FT.	500

The time allowed for the completion of the work included in this project will be 155 working days.

This contract includes an abbreviated period for execution of contract and start of work.

The Arizona Department of Transportation hereby notifies all bidders that pursuant to this advertisement for bids, Disadvantaged Business Enterprises will be afforded full opportunity to submit bids in response to this solicitation and will not be discriminated against on the grounds of race, color, sex, or national origin in consideration for an award.

Project plans, special provisions, and proposal pamphlets may be purchased from Contracts and Specifications Section, 1651 W. Jackson, Room 121F, Phoenix, AZ 85007-3217, (602) 712-7221. Plans and bidding documents should be available for sale to bidders within one week following the advertisement for bids. The cost is \$31.00, payable at time of order by cash, check or money order. Please indicate whether a bid proposal package or a subcontractor/supplier set is desired. An additional fee of \$5.00 will be charged for each set of Special Provisions requested which is not accompanied by the purchase of a related set of project plans. Checks should be made payable to the Arizona Department of Transportation. No refund will be made for plans and specifications returned. We cannot guarantee mail delivery.

This project is eligible for electronic bidding.

No contracting firm will be issued a proposal pamphlet until it has become prequalified. The Application for Contractor Prequalification shall be filed at least 15 calendar days prior to the bid opening date. The Application may be obtained from Contracts and Specifications Section.

No proposal will be accepted from any contractor who is not a duly licensed contractor in accordance with Arizona Revised Statutes 32-1101 through 32-1170.03.

A proposal guaranty in the form of either a certified or a cashier's check made payable to the State Treasurer of Arizona for not less than ten percent of the amount of the bid or in the form of a surety (bid) bond for ten percent of the amount of the bid shall accompany the proposal.

Surety (bid) bonds will be accepted only on the form provided by the Department and only from corporate sureties authorized to do business in Arizona.

Proposal pamphlets shall be submitted only in the envelope provided by the Department to:

Arizona Department of Transportation
Intermodal Transportation Division
Contracts and Specifications Section
1651 West Jackson Street, Room 121F
Phoenix, Arizona 85007-3217

Sealed bids will be received until the hour indicated and then publicly opened and read. No bids will be received after the time specified.

Engineering Specialist:	Rimpal Shah	(602) 712-8377
Construction Supervisor:	Ed Wilson	(928) 524-5432

BARRY CROCKETT,
Engineer-Manager
Contracts & Specifications Section

099 NA 038 H637701C
S-099-A-501
January 24, 2007